

# Thank you veeery much!



Free **First Aid Support** for Installation Problems.  
Our script is quite hard to install, therefore we offer a free First Aid Support.  
For more details please visit <http://support.cudevo.com/firstaid/cripty>

## Installation Requirements:

### - Nginx or Apache Webserver

it'll also work with other webserver, but we have only tested our script with Apache and Nginx and therefore we can't guarantee that it'll also work with other webserver.

- Unix based webserver
- PHP5 with php5-mcrypt and php5-curl installed
- Optimal: Root / SSH Access

## Installation:

1. Upload all contents of the /upload folder to your webspace
2. Visit your website. The script will automatically detect that you haven't installed it yet and redirect you to the /install directory. Follow all steps in the installation and apply all required fixes.
3. After you have finished the installation, call the provided URL to run your script.
4. Optimal: Delete the /installation directory, it isn't necessary anymore.
5. Optimal: Backup your inc.php file

## Options:

Notice: Please do only edit the general information about your site and not the advanced options if you have no idea what the advanced options stand for. All fields are required.

Fallback language:

Recommend: EN. If your site uses multiple languages, you can specify a fallback language here. Please make sure that you use the ID of your language file (usually ISO 3166 alpha 2 code)

Date and time format - characters:

d	Day of the month, 2 digits with leading zeros
D	A textual representation of a day, three letters
j	Day of the month without leading zeros
l	A full textual representation of the day of the week
s	English ordinal suffix for the day of the month, 2 characters
z	The day of the year (starting from 0)
m	Numeric representation of a month, with leading zeros
M	A short textual representation of a month, three letters
n	Numeric representation of a month, without leading zeros
Y	A full numeric representation of a year, 4 digits
y	A two digit representation of a year
a	Lowercase Ante meridiem and Post meridiem (AM / PM)
A	Uppercase Ante meridiem and Post meridiem
g	12-hour format of an hour without leading zeros
G	24-hour format of an hour without leading zeros
h	12-hour format of an hour with leading zeros
H	24-hour format of an hour with leading zeros
i	Minutes with leading zeros
s	Seconds, with leading zeros

You can combine this characters as you want, for example m/d/Y H:i will display:  
09/30/2015 12:00 (30th September 2015)

## Adding Languages:

To add new languages, duplicate the standard XML file 'EN.xml' in the directory /inc/lang. Edit the options:

ISO	The ISO-3166 Alpha 2 code of your language
Name	The display name of your language

Then start to translate each phrase in the file. Do not modify the id="" tags! Sometimes you'll find things like this in the file: <!-- %lO-11% ::terms of service:: %lO-11a% -->

This means that there can be another phrase after a dynamic input field (in this term the URL to the terms of service) added. To add this phrase just add the following XML tag anywhere in the file: <phrase id="TAG ID, in this case lO-11a">Phrase text</phrase>

The script will automatically detect new languages, you don't have to activate or configure anything. The language will automatically be chosen by the script depending on the users preferences. If you want to change the language manually, please add the following request at the end of your URL: &l=<Your Language ISO code>. If you want to display your site in English, just add &l=EN, for instance.

## Edit phrases:

To edit texts on your website, including the footer, please open the language file(s) located in /inc/lang (Standard file /inc/lang/EN.xml) . Do not edit any HTML code in the template files!

## Edit pagenames:

To edit the pre-defined pagenames, have a look in the /inc.php file. Search for the line beginning with \$\_\_pagenames = array(. Then edit the pagenames shown in this line. Take care that you only edit the names and not the page numbers!

## Compatibility between multiple Crypty Installations:

If you have multiple installations of Crypty running at the same time and if you want those installations to be compatible with each other, you need to use the same SERVER\_KEY in the config file (inc.php). Please be advised that decrypting old files won't work any more if you change the SERVER\_KEY.

## Cudevo Custom Works for Crypty:

Cudevo offers customizations for Crypty 2.0. To get a price quote or free customization help please send our support a message (<http://support.cudevo.com/>).

## Troubleshooting and Errors:

If you are facing any problems or errors, please check if your script meets all requirements first. (Upload installation directory again and call `/install/step2.php`). If all requirements are met and your script still doesn't run probably, please contact our support at <http://support.cudevo.com/>. The script will always call the general error page when some requirements are not met.

### Bugs:

Please contact our support if you found any bugs. We'll try to fix them as soon as possible and we'll also release a general update.

### Cudevo Managed Hosting:

Cudevo offers a managed hosting for Crypty 2.0. If you are a customer of our managed hosting, we'll take care that your site is configured properly and that it is completely error-free. Please contact the Managed Hosting support, if you are facing any problems or if you found a bug or error. The error will be fixed on all hosted sites immediately, even long before the release of a general update. If you want to book a managed hosting please visit our site at: <http://cudevo.com/managed/crypty>

### Support:

You can reach our support at any time by visiting <http://support.cudevo.com/>. Crypty 2.0 owners enjoy free support and first-aid help within their purchased support range. Bug reporting is free and without any limits for everyone.

### Footer Branding:

You are not allowed to remove the Crypty branding at the bottom of your page. If you found any Crypty scripts without this branding, please contact us immediately at <http://support.cudevo.com/>.

### Translation:

If you created a translation and want to share it with the public, please contact us at <http://support.cudevo.com/> to submit your language file and to get a little gift from us.

### Reset statistics:

If you want to reset the statistics of the script, please open `stats.json` and change its content to:

```
{"files":0,"filesize":0}
```

**Hack Font:**

Hack Copyright 2015, Christopher Simpkins with Reserved Font Name Hack.  
HACK OPEN FONT LICENSE & BITSTREAM VERA LICENSE

Bitstream Vera Sans Mono Copyright 2003 Bitstream, Inc. with Reserved Font Names  
Bitstream and Vera  
BITSTREAM VERA LICENSE

**Montserrat Font:**

Montserrat font by Julieta Ulanovsky - SIL Open Font License 1.1 (<http://scripts.sil.org/OFL>)

**jQuery:**

jQuery by <http://jquery.org/>

jQuery Foundation projects are released under the terms of the license specified in the project's repository or if not specified, under the MIT license.

The MIT License is simple and easy to understand and it places almost no restrictions on what you can do with a jQuery Foundation project.

You are free to use any jQuery Foundation project in any other project (even commercial projects) as long as the copyright header is left intact.

**Ionicons:**

Designed by @benjsperry. Licensed under MIT (<http://ionicons.com/>)